

Lake Legana

Period	n	min	25 th	50 th	75 th	max
All data	220	5	40	80	200	3900
Summer 1996-97	7	20	50	80	130	540
Summer 1997-98	18	10	25	70	100	380
Summer 1998-99	17	20	40	80	146	213
Summer 1999-00	18	40	100	170	415	2600
Summer 2000-01	17	60	140	200	320	760
Summer 2001-02	17	30	60	80	360	1900
Summer 2002-03	17	10	20	60	110	210
Summer 2003-04	17	10	10	60	140	3700
Summer 2004-05	19	10	31	140	215	3900
Summer 2005-06	17	5	41	73	110	990
Summer 2006-07	13	10	63	96	170	1400
Summer 2007-08	13	5	63	120	380	1000
Summer 2008-09	13	10	30	31	41	96
Summer 2009-10	13	5	52	74	210	1800

Meaning of n, min, 25th, 50th, 75th and max:

n is the number of measurements within the summer considered

min is the lowest value recorded over the summer considered

max is the highest value recorded over the summer considered

25th percentile: the value below which 25% of the measurements are found

50th percentile: the value below which 50% of the measurements are found

75th percentile: the value below which 75% of the measurements are found

Lake Illawong

Period	n	min	25 th	50 th	75 th	max
All years	219	10	80	160	300	8300
Summer 1996-97	7	40	160	280	450	2400
Summer 1997-98	18	20	160	190	300	840
Summer 1998-99	17	20	120	160	201	480
Summer 1999-00	18	80	145	240	415	740
Summer 2000-01	17	40	140	160	260	900
Summer 2001-02	17	40	60	180	250	560
Summer 2002-03	17	20	120	200	500	3000
Summer 2003-04	17	10	40	80	120	780
Summer 2004-05	18	16	65	115	265	8300
Summer 2005-06	17	74	120	220	300	410
Summer 2006-07	13	63	110	180	400	430
Summer 2007-08	13	30	63	150	240	750
Summer 2008-09	13	10	74	160	310	1000
Summer 2009-10	13	20	41	84	210	1700

Meaning of n, min, 25th, 50th, 75th and max:

n is the number of measurements within the summer considered

min is the lowest value recorded over the summer considered

max is the highest value recorded over the summer considered

25th percentile: the value below which 25% of the measurements are found

50th percentile: the value below which 50% of the measurements are found

75th percentile: the value below which 75% of the measurements are found

Lake Carramar

Period	n	min	25 th	50 th	75 th	max
All years	218	10	120	245	475	15000
Summer 1996-97	7	160	260	680	740	3740
Summer 1997-98	18	60	115	190	280	960
Summer 1998-99	16	20	60	93	156.25	260
Summer 1999-00	18	40	190	300	420	920
Summer 2000-01	17	40	60	120	260	2200
Summer 2001-02	17	10	60	100	220	1100
Summer 2002-03	17	240	480	840	1400	15000
Summer 2003-04	17	20	140	280	400	5300
Summer 2004-05	18	20	72	195	450	1400
Summer 2005-06	17	86	190	330	520	1700
Summer 2006-07	13	160	220	260	710	2200
Summer 2007-08	13	86	150	180	400	910
Summer 2008-09	13	20	86	140	210	550
Summer 2009-10	13	98	170	300	400	2700

Meaning of n, min, 25th, 50th, 75th and max:

n is the number of measurements within the summer considered

min is the lowest value recorded over the summer considered

max is the highest value recorded over the summer considered

25th percentile: the value below which 25% of the measurements are found

50th percentile: the value below which 50% of the measurements are found

75th percentile: the value below which 75% of the measurements are found